


Forecast Series Name		Influenza
Vaccines	Vaccine Ids	
Flu	2050, 180, 181, 1430, 1440, 179, 200, 201, 185, 205, 204, 203, 202, 217, 218, 219, 220, 221, 222, 223, 229	
Nasal	180, 203	
Live	180, 187, 203, 204, 220	
H1N1	186, 187, 188, 189	
Season Start	-503	

Vaccines		
Vaccine	TCH Id	CVX
influenza, split (incl. purified surface antigen)	2050	
Influenza (LAIV)	180	111
Influenza (TIV)	181	15
influenza, split (incl. purified surface antigen)	1430	
influenza, whole	1440	
Influenza	179	88
Influenza TIV Presv-free	200	140
Influenza TIV new	201	141
Influenza(TIV) New not show yet	185	135
Novel H1N1-09,NOS	186	128
Novel H1N1-09,Live,Nasal	187	125
Novel H1N1-09,Injectable,Presv-free	188	126
Novel H1N1-09,Injectable	189	127
Influenza IIV4	205	158
Influenza IIV4	204	161
Influenza LAIV4 Nasal	203	149
Influenza, seasonal, intradermal, preservative free	202	144
influenza, intradermal, quadrivalent, preservative free	217	166
FLUAD, adjuvanted, trivalent, preservative free	218	168
Flucelvax, injectable, quadrivalent, preservative free	219	171
Influenza nasal, unspecified formulation	220	151
Influenza recombinant quadrivalent	221	185
Influenza injectable MDCK quadrivalent	222	186
influenza recombinant injectable trivalent	223	155
influenza IIV3 MDCK	229	153

Seasonal Schedule	
Seasonal	Yes
End	6 months
Due	1 month
Overdue	5 months



Schedule	Dose	Indication	season			
P1	1	BIRTH				
Determine if dose is valid or when next is due						
	Age	Interval	Grace			
Valid	6 months	4 weeks	4 days			
Early due						
Due	6 months					
Overdue	150 years					
Finished	150 years					
After invalid dose		0 days				
Dose before previous						
In case of contraindicated dose						
Vaccine	Interval After	Before Age	Reason	Against	Contra	Allowed
Live	4 weeks			Nasal	Influenza LAIV	Influenza IIV
If valid, pick the next schedule to use						
Vaccine	Schedule	Before Age	Season Comp	Reason		
Nasal	INVALID	2 years				
Flu	P1					
H1N1	P1					
Season Start	S1					
Show Column	1					
Show Row	1					

Schedule	Dose	Indication	current season			
S1	1					
Determine if dose is valid or when next is due						
	Age	Interval	Grace			
Valid	6 months	4 weeks	4 days			
Early due						
Due	6 months					
Overdue	150 years					
Finished	150 years					
After invalid dose		4 weeks	4 days			
Dose before previous						
In case of contraindicated dose						
Vaccine	Interval After	Before Age	Reason	Against	Contra	Allowed
Live	4 weeks			Nasal	Influenza LAIV	Influenza IIV
If valid, pick the next schedule to use						
Vaccine	Schedule	Before Age	Season Comp	Reason		
Nasal	INVALID	2 years				
Flu	DL FLU 2015		Yes			
Show Column	3					
Show Row	1					

Decision Logic	
DL FLU 2015	
Constant Values	
Valid Vaccine	Flu
Transitions	
Second Dose Needed	S2
No More Doses Needed	COMPLETE

Schedule	Dose	2nd seasonal				
S2	2					
Determine if dose is valid or when next is due						
	Age	Interval	Grace			
Valid		4 weeks				
Early due						
Due		1 month				
Overdue		2 months				
Finished	150 years					
After invalid dose		4 weeks	4 days			
Dose before previous						
In case of contraindicated dose						
Vaccine	Interval After	Before Age	Reason	Against	Contra	Allowed
Live	4 weeks			Nasal	Influenza LAIV	Influenza IIV
If valid, pick the next schedule to use						
Vaccine	Schedule	Before Age	Season Comp	Reason		
Nasal	INVALID	2 years				
Flu	COMPLETE					
Show Column	2					
Show Row	1					