


Forecast Series Name		Measles
Vaccines	Vaccine Ids	
Measles	158, 159, 1560, 160, 161	
Mumps	158, 159, 1560, 162, 175	
Rubella	158, 159, 1560, 160, 171, 175	
MMRV	159, 1560	
Same Live	178, 162, 171, 175	
	178, 160, 161, 171	
	178, 161, 162	
Other Live	180, 2020, 1990, 1690, 1700, 210, 203	
Assume Comp	-158	

This forecast sheet represents Measles, Mumps and Rubella

Vaccines		
Vaccine	Trade Name(s)	Id
M/R		160
Measles		161
MMR		158
MMRV		1560
MMRV		159
Mumps		162
Rubella		171
Rubella/Mumps		175
Contraindication		
Vaccine	Trade Name(s)	Id
Varicella		178
Influenza(LAIV)		180
Influenza LAIV4 Nasal		203
Yellow Fever		2020
Venezuelan Encephalitis		1990
OPV		148
rabies, intramuscular injection		1690
rabies, intradermal injection		1700
Rabies		210



Schedule	Dose	Indication	1 year	
P1	1	BIRTH		
<b>Determine if dose is valid or when next is due</b>				
	Age	Interval	Grace	
Valid	1 year		4 days	
Early due				
Due	12 months			
Overdue	16 months			
Finished	50 years			
After invalid dose		4 weeks	4 days	
Dose before previous				
<b>In case of contraindicated dose</b>				
Vaccine	Interval After	Before Age	Reason	Grace
Same Live	4 weeks			
Other Live	4 weeks			
<b>If valid, pick the next schedule to use</b>				
Vaccine	Schedule	Before Age	Reason	
MMRV	P2	13 years		
MMRV	P2		MMRV should not be administered to persons 13 years of age or older.	
Measles	P2			
Assume Comp	COMPLETE		Assuming adult received full MMR series as a child.	
Show Column	1			
Show Row	1			

4-6 years

Schedule	Dose				
P2	2				
Determine if dose is valid or when next is due					
	Age	Interval	Grace		
Valid		4 weeks	4 days		
Early due					
Due	4 years				
Overdue	7 years				
Finished	50 years				
After invalid dose		4 weeks	4 days		
Dose before previous					
In case of contraindicated dose					
Vaccine	Interval After	Before Age	Reason	Grace	
Same Live	4 weeks				
Other Live	4 weeks				
If valid, pick the next schedule to use					
Vaccine	Schedule	Before Age	Reason	Min Interval	Previous Vaccine
MMRV	COMPLETE	13 years		4 weeks	MMRV
MMRV	COMPLETE		MMRV should not be administered to persons 13 years of age or older.	4 weeks	MMRV
MMRV	INVALID		MMRV must be administered no sooner than 4 weeks after previous MMRV.		MMRV
MMRV	COMPLETE	13 years			
MMRV	COMPLETE		MMRV should not be administered to persons 13 years of age or older.		
Measles	COMPLETE				
Assume Comp	COMPLETE		Assuming adult received full MMR series as a child.		
Show Column	2				
Show Row	1				