


MeningococcalB- start @ 16 years

Forecast Series Name	MeningococcalB
	Vaccine Ids
Bexsero	216
Trumenba	215
Men B	215, 216

Vaccines		
Vaccine	Trade Name(s)	Id
Meningococcal B, OMV	Bexsero	216
Meningococcal B	Trumenba	215
Meningococcal B, unspecified		

MeningococcalB- start @ 16 years



1<sup>st</sup>

Schedule	Dose	Indication	
P1	1	BIRTH	
Determine if dose is valid or when next is due			
	Age	Interval	Grace
Valid	10 years		4 days
Early due			
Due	16 years		
Overdue	19 years		
Finished	24 years		
After invalid dose		0 days	
Dose before previous			
If valid, pick the next schedule to use			
Vaccine	Schedule	Before Age	Reason
Bexsero	B2		
Trumenba	T2		
Show Column	1		
Show Row	1		

2<sup>nd</sup>

Schedule	Dose		
T2	2		
Determine if dose is valid or when next is due			
	Age	Interval	Grace
Valid		6 months	6 months
Early due			
Due		6 months	
Overdue		7 months	
Finished	24 years		
After invalid dose			
Dose before previous			
Recommended	MeningTrumenba		
If valid, pick the next schedule to use			
Vaccine	Schedule	Before Age	Reason
Bexsero	B2a		
Trumenba	DL Trumenba A		
Show Column	2		
Show Row	2		

2<sup>nd</sup>

Schedule	Dose	Indication	
B2	2		
Determine if dose is valid or when next is due			
	Age	Interval	Grace
Valid		4 weeks	4 weeks
Early due			
Due		4 weeks	
Overdue		2 months	
Finished	24 years		
After invalid dose			
Dose before previous			
Recommended	MeningBexsero		
If valid, pick the next schedule to use			
Vaccine	Schedule	Before Age	Reason
Trumenba	T2a		
Bexsero	COMPLETE		
Show Column	2		
Show Row	1		

3<sup>rd</sup>

Schedule	Dose	Indication	
T3	3		
Determine if dose is valid or when next is due			
	Age	Interval	Grace
Valid		4 weeks	4 weeks
Early due			
Due		4 weeks	
Overdue		2 months	
Finished	24 years		
After invalid dose			
Dose before previous		6 months	
Recommended	MeningTrumenba		
If valid, pick the next schedule to use			
Vaccine	Schedule	Before Age	Reason
Bexsero	B2b		
Trumenba	COMPLETE		
Show Column	3		
Show Row	2		

<b>Decision Logic</b>	
DL Trumenba A	
<b>Constant Values</b>	
Valid Vaccine	Trumenba
<b>Transitions</b>	
Greater Than 6 Months	COMPLETE
Less Than 6 Months	T3

<b>Decision Logic</b>	
DL Trumenba B	
<b>Constant Values</b>	
Valid Vaccine	Trumenba
<b>Transitions</b>	
Greater Than 6 Months	COMPLETE
Less Than 6 Months	T3a

<b>Decision Logic</b>	
DL Trumenba C	
<b>Constant Values</b>	
Valid Vaccine	Trumenba
<b>Transitions</b>	
Greater Than 6 Months	COMPLETE
Less Than 6 Months	T3b

Schedule	Dose	Indication	2 <sup>nd</sup>	
B2a	2			
Determine if dose is valid or when next is due				
	Age	Interval	Grace	
Valid		4 weeks	4 weeks	
Early due				
Due		4 weeks		
Overdue		2 months		
Finished	24 years			
After invalid dose				
Dose before previous				
Recommended	MeningBexsero			
If valid, pick the next schedule to use				
Vaccine	Schedule	Before Age	Reason	
Trumenba	DL Trumenba B			
Bexsero	COMPLETE			
Show Column	2			
Show Row	3			

Schedule	Dose	Indication	3 <sup>rd</sup>	
T3a	3			
Determine if dose is valid or when next is due				
	Age	Interval	Grace	
Valid		4 weeks	4 weeks	
Early due				
Due		4 weeks		
Overdue		2 months		
Finished	24 years			
After invalid dose				
Dose before previous		6 months		
Recommended	MeningTrumenba			
If valid, pick the next schedule to use				
Vaccine	Schedule	Before Age	Reason	
Bexsero	COMPLETE			
Trumenba	COMPLETE			
Show Column	3			
Show Row	3			

Schedule	Dose	Indication	2 <sup>nd</sup>	
B2b	2			
Determine if dose is valid or when next is due				
	Age	Interval	Grace	
Valid		4 weeks	4 weeks	
Early due				
Due		4 weeks		
Overdue		2 months		
Finished	24 years			
After invalid dose				
Dose before previous				
Recommended	MeningBexsero			
If valid, pick the next schedule to use				
Vaccine	Schedule	Before Age	Reason	
Trumenba	COMPLETE			
Bexsero	COMPLETE			
Show Column	4			
Show Row	2			

Schedule	Dose	2 <sup>nd</sup>		
T2a	2			
Determine if dose is valid or when next is due				
	Age	Interval	Grace	
Valid		6 months	6 months	
Early due				
Due		6 months		
Overdue		7 months		
Finished	24 years			
After invalid dose				
Dose before previous				
Recommended	MeningTrumenba			
If valid, pick the next schedule to use				
Vaccine	Schedule	Before Age	Reason	
Bexsero	COMPLETE			
Trumenba	DL Trumenba C			
Show Column	2			
Show Row	2			

3<sup>rd</sup>

Schedule	Dose	Indication	
T3b	3		
Determine if dose is valid or when next is due			
	Age	Interval	Grace
Valid		4 weeks	4 weeks
Early due			
Due		4 weeks	
Overdue		2 months	
Finished	24 years		
After invalid dose			
Dose before previous		6 months	
Recommended	MeningTrumenba		
If valid, pick the next schedule to use			
Vaccine	Schedule	Before Age	Reason
Bexsero	COMPLETE		
Trumenba	COMPLETE		
Show Column	3		
Show Row	3		